




Kit 1461

CHEVROLET Colorado, 4-dr Double Cab, 04–
CHEVROLET Colorado, 4-dr Extended Cab, 04–
CHEVROLET Colorado, 4-dr Crew Cab, *04–
CHEVROLET Colorado, 4-dr Extra Cab, *04–
GMC Canyon, 4-dr Crew Cab, *04–
GMC Canyon, 4-dr Extra Cab, *04–
GREAT WALL V240, 4-dr Double Cab, 09–
GREAT WALL Steed, 4-dr Double Cab, 09–
GREAT WALL Wingle, 4-dr Double Cab, 06–
ISUZU D-max, 4-dr Double Cab, 02–
ISUZU D-max, 4-dr Extended Cab, 02–
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09


*North America



754 Rapid System
480R Rapid Traverse (North America)






480 Traverse (North America)




THULE[®]
 SWEDEN

ISO 11154-E


[illegible]

Europe		North America	
  x2  x2  x2  x2  x2  x4  x4	 x1  x1  x2  x2  x2  x4	(North America)  x2  x2  x2  x2	 x2  x2



1





2





754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4




480 Traverse
(North America)




x4

3




754 Rapid System



X


CHEVROLET Colorado, 4-dr Double Cab, 04-	34
CHEVROLET Colorado, 4-dr Extended Cab, 04-	34
CHEVROLET Colorado, 4-dr Crew Cab, *04-	34
CHEVROLET Colorado, 4-dr Extra Cab, *04-	34
GMC Canyon, 4-dr Crew Cab, *04-	34
GMC Canyon, 4-dr Extra Cab, *04-	34
GREAT WALL V240, 4-dr Double Cab, 09-	34
GREAT WALL Steed, 4-dr Double Cab, 09-	34
GREAT WALL Wingle, 4-dr Double Cab, 06-	34
ISUZU D-max, 4-dr Double Cab, 02-	34
ISUZU D-max, 4-dr Extended Cab, 02-	34
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	34
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	34



Y

CHEVROLET Colorado, 4-dr Double Cab, 04-	32
CHEVROLET Colorado, 4-dr Extended Cab, 04-	32
CHEVROLET Colorado, 4-dr Crew Cab, *04-	32
CHEVROLET Colorado, 4-dr Extra Cab, *04-	32
GMC Canyon, 4-dr Crew Cab, *04-	32
GMC Canyon, 4-dr Extra Cab, *04-	32
GREAT WALL V240, 4-dr Double Cab, 09-	32
GREAT WALL Steed, 4-dr Double Cab, 09-	32
GREAT WALL Wingle, 4-dr Double Cab, 06-	32
ISUZU D-max, 4-dr Double Cab, 02-	32
ISUZU D-max, 4-dr Extended Cab, 02-	32
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	32
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	32

4




3




480 Traverse

(North America)




	X inch	X mm
CHEVROLET Colorado, 4-dr Double Cab, 04-	39 "	991 mm
CHEVROLET Colorado, 4-dr Extended Cab, 04-	39 "	991 mm
CHEVROLET Colorado, 4-dr Crew Cab, *04-	39 "	991 mm
CHEVROLET Colorado, 4-dr Extra Cab, *04-	39 "	991 mm
GMC Canyon, 4-dr Crew Cab, *04-	39 "	991 mm
GMC Canyon, 4-dr Extra Cab, *04-	39 "	991 mm
GREAT WALL V240, 4-dr Double Cab, 09-	39 "	991 mm
GREAT WALL Steed, 4-dr Double Cab, 09-	39 "	991 mm
GREAT WALL Wingle, 4-dr Double Cab, 06-	39 "	991 mm
ISUZU D-max, 4-dr Double Cab, 02-	39 "	991 mm
ISUZU D-max, 4-dr Extended Cab, 02-	39 "	991 mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	39 "	991 mm
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	39 "	991 mm



	Y inch	Y mm
CHEVROLET Colorado, 4-dr Double Cab, 04-	38 ¹ / ₄ "	971 mm
CHEVROLET Colorado, 4-dr Extended Cab, 04-	38 ¹ / ₄ "	971 mm
CHEVROLET Colorado, 4-dr Crew Cab, *04-	38 ¹ / ₄ "	971 mm
CHEVROLET Colorado, 4-dr Extra Cab, *04-	38 ¹ / ₄ "	971 mm
GMC Canyon, 4-dr Crew Cab, *04-	38 ¹ / ₄ "	971 mm
GMC Canyon, 4-dr Extra Cab, *04-	38 ¹ / ₄ "	971 mm
GREAT WALL V240, 4-dr Double Cab, 09-	38 ¹ / ₄ "	971 mm
GREAT WALL Steed, 4-dr Double Cab, 09-	38 ¹ / ₄ "	971 mm
GREAT WALL Wingle, 4-dr Double Cab, 06-	38 ¹ / ₄ "	971 mm
ISUZU D-max, 4-dr Double Cab, 02-	38 ¹ / ₄ "	971 mm
ISUZU D-max, 4-dr Extended Cab, 02-	38 ¹ / ₄ "	971 mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	38 ¹ / ₄ "	971 mm
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	38 ¹ / ₄ "	971 mm



4




5

CHEVROLET Colorado, 4-dr Double Cab, 04–
CHEVROLET Colorado, 4-dr Extended Cab, 04–
CHEVROLET Colorado, 4-dr Crew Cab, *04–
CHEVROLET Colorado, 4-dr Extra Cab, *04–
GMC Canyon, 4-dr Crew Cab, *04–
GMC Canyon, 4-dr Extra Cab, *04–
GREAT WALL V240, 4-dr Double Cab, 09–


GREAT WALL Steed, 4-dr Double Cab, 09–
GREAT WALL Wingle, 4-dr Double Cab, 06–
ISUZU D-max, 4-dr Double Cab, 02–
ISUZU D-max, 4-dr Extended Cab, 02–
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09




6





i






A




B



	X mm	Y mm	X inch	Y inch
CHEVROLET Colorado, 4-dr Double Cab, *04-	380 mm	750 mm	15 "	29 1/2 "
CHEVROLET Colorado, 4-dr Extended Cab, *04-	250 mm	680 mm	9 7/8 "	26 3/4 "
CHEVROLET Colorado, 4-dr Crew Cab, *04-	380 mm	750 mm	15 "	29 1/2 "
CHEVROLET Colorado, 4-dr Extra Cab, *04-	250 mm	680 mm	9 7/8 "	26 3/4 "
GMC Canyon, 4-dr Crew Cab, *04-	380 mm	750 mm	15 "	29 1/2 "
GMC Canyon, 4-dr Extra Cab, *04-	250 mm	680 mm	9 7/8 "	26 3/4 "
GREAT WALL V240, 4-dr Double Cab, 09-	380 mm	650 mm	15 "	25 9/8 "
GREAT WALL Steed, 4-dr Double Cab, 09-	380 mm	650 mm	15 "	25 9/8 "
GREAT WALL Wingle, 4-dr Double Cab, 06-	380 mm	650 mm	15 "	25 9/8 "
ISUZU D-max, 4-dr Double Cab, 02-	380 mm	750 mm	15 "	29 1/2 "
ISUZU D-max, 4-dr Extended Cab, 02-	250 mm	680 mm	9 7/8 "	26 3/4 "
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	380 mm	750 mm	15 "	29 1/2 "
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	250 mm	680 mm	9 7/8 "	26 3/4 "



7



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно





CZ Pokręťla bagażnika dokręcaj dokręcaj naprzemiennie.
SK Dofahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egymástól fűggetlenül szorítandó
GR Σφιγγετε εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧



한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ




≈ 3 Nm





8



x1
17 mm





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)


596 (x6)



588 (x8)


NA **510** (x10)

EUR **452** (x12)

ASIA











CHEVROLET Colorado, 4-dr Double Cab, '04-	380 mm	750 mm	15 "	29 1/2 "
CHEVROLET Colorado, 4-dr Extended Cab, '04-	250 mm	680 mm	9 7/8 "	26 3/4 "
CHEVROLET Colorado, 4-dr Crew Cab, '04-	380 mm	750 mm	15 "	29 1/2 "
CHEVROLET Colorado, 4-dr Extra Cab, '04-	250 mm	680 mm	9 7/8 "	26 3/4 "
GMC Canyon, 4-dr Crew Cab, '04-	380 mm	750 mm	15 "	29 1/2 "
GMC Canyon, 4-dr Extra Cab, '04-	250 mm	680 mm	9 7/8 "	26 3/4 "
GREAT WALL V240, 4-dr Double Cab, '09-	380 mm	650 mm	15 "	25 5/8 "
GREAT WALL Steed, 4-dr Double Cab, '09-	380 mm	650 mm	15 "	25 5/8 "
GREAT WALL Wingle, 4-dr Double Cab, '06-	380 mm	650 mm	15 "	25 5/8 "
ISUZU D-max, 4-dr Double Cab, '02-	380 mm	750 mm	15 "	29 1/2 "
ISUZU D-max, 4-dr Extended Cab, '02-	250 mm	680 mm	9 7/8 "	26 3/4 "
ISUZU I-280/I-290, 4-dr Crew Cab, '06-09	380 mm	750 mm	15 "	29 1/2 "
ISUZU I-350/I-370, 4-dr Extra Cab, '06-09	250 mm	680 mm	9 7/8 "	26 3/4 "

X mm Y mm X inch Y inch








5

CHEVROLET Colorado, 4-dr Double Cab, 04-
CHEVROLET Colorado, 4-dr Extended Cab, 04-
CHEVROLET Colorado, 4-dr Crew Cab, *04-
CHEVROLET Colorado, 4-dr Extra Cab, *04-
GMC Canyon, 4-dr Crew Cab, *04-
GMC Canyon, 4-dr Extra Cab, *04-
GREAT WALL V240, 4-dr Double Cab, 09-




GREAT WALL Steed, 4-dr Double Cab, 09-
GREAT WALL Wingle, 4-dr Double Cab, 06-
ISUZU D-max, 4-dr Double Cab, 02-
ISUZU D-max, 4-dr Extended Cab, 02-
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09






ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	38 1/4"	971 mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	38 1/4"	971 mm
ISUZU D-max, 4-dr Extended Cab, 02-	38 1/4"	971 mm
ISUZU D-max, 4-dr Double Cab, 02-	38 1/4"	971 mm
GREAT WALL Wingle, 4-dr Double Cab, 06-	38 1/4"	971 mm
GREAT WALL Steed, 4-dr Double Cab, 09-	38 1/4"	971 mm
GREAT WALL V240, 4-dr Double Cab, 09-	38 1/4"	971 mm
GMC Canyon, 4-dr Extra Cab, *04-	38 1/4"	971 mm
GMC Canyon, 4-dr Crew Cab, *04-	38 1/4"	971 mm
CHEVROLET Colorado, 4-dr Extra Cab, *04-	38 1/4"	971 mm
CHEVROLET Colorado, 4-dr Crew Cab, *04-	38 1/4"	971 mm
CHEVROLET Colorado, 4-dr Extended Cab, 04-	38 1/4"	971 mm
CHEVROLET Colorado, 4-dr Double Cab, 04-	38 1/4"	971 mm




ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	39"	991 mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	39"	991 mm
ISUZU D-max, 4-dr Extended Cab, 02-	39"	991 mm
ISUZU D-max, 4-dr Double Cab, 02-	39"	991 mm
GREAT WALL Wingle, 4-dr Double Cab, 06-	39"	991 mm
GREAT WALL Steed, 4-dr Double Cab, 09-	39"	991 mm
GREAT WALL V240, 4-dr Double Cab, 09-	39"	991 mm
GMC Canyon, 4-dr Extra Cab, *04-	39"	991 mm
GMC Canyon, 4-dr Crew Cab, *04-	39"	991 mm
CHEVROLET Colorado, 4-dr Extra Cab, *04-	39"	991 mm
CHEVROLET Colorado, 4-dr Crew Cab, *04-	39"	991 mm
CHEVROLET Colorado, 4-dr Extended Cab, 04-	39"	991 mm
CHEVROLET Colorado, 4-dr Double Cab, 04-	39"	991 mm







3



2



1





Instructions

Kit 1461

CHEVROLET Colorado, 4-dr Double Cab, 04-
CHEVROLET Colorado, 4-dr Extended Cab, 04-
CHEVROLET Colorado, 4-dr Crew Cab, *04-
CHEVROLET Colorado, 4-dr Extra Cab, *04-
GMC Canyon, 4-dr Crew Cab, *04-
GMC Canyon, 4-dr Extra Cab, *04-
GREAT WALL V240, 4-dr Double Cab, 09-
GREAT WALL Steed, 4-dr Double Cab, 09-
GREAT WALL Wingle, 4-dr Double Cab, 06-
ISUZU D-max, 4-dr Double Cab, 02-
ISUZU D-max, 4-dr Extended Cab, 02-
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09

*North America

480R
754



THULE[®]
SWEDEN

PROFESSIONAL

ISO 11154-E